

Last modification

2021-04-22

## SKY SQ45.3C3D-WH

9329501057186



The Sky oyster collection offers a sleek, modern look for your living space. This LED energy-efficient ceiling light fixture comes in an ultra-thin flush mount frame, making it a perfect fit for low ceilings. The color temperature of the light can be pre-set by a hidden select switch and 3 stage dimming is included by simple wall switch cycles. The white acrylic diffuser softens and scatters the throw of light, and a white or black frame adds a clean, contemporary touch. Perfect for all areas of the home.

### Overview

<b>Item Type</b>	Oysters (OY)
<b>Mounting</b>	Surface

### Color / Material

<b>Fixture Color 1</b>	White (WH)
<b>Diffuser Colour</b>	Opal
<b>Diffuser Material</b>	Polycarbonate

### Size

<b>Fixture Length (cm)</b>	450.0
<b>Fixture Width (cm)</b>	450.0
<b>Fixture Projection (cm)</b>	2.5

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	45
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	5400
<b>Color Temperature</b>	Warm White; Pure White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 6500k)
<b>Color Rendering</b>	>85
<b>Dimmable</b>	Yes - 3 Step by switch (100% - 50% -20%)
<b>Beam Angle</b>	120
<b>Power Factor</b>	>0.90

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Surge Protection</b>	Yes (1.5 Kva)
<b>Lumens maintenance</b>	25000 Hrs
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Box Contents</b>	Basic mounting screws,Instruction,Quick Connector Terminal
<b>Warranty</b>	3 Years

### Barcode

**GTIN** 9329501057186

### Pricing

**PRICE - RRP incGST** 262.5

### Image -dimensions





